Annual/Quarterly Report

A. Annual Report for the year of operation fromJanuary, B. Quarterly Report for:Quarter 1Quarter 2Quarter 3 _X	
SECTION 1 - Owner/Facility I	<u>nformation</u>
Facility Name Hyland Facility Associates	NYSDEC Activity Code # 02S17
Facility Location 6653 Herdman Road,	State NY Zip 14709
Facility Contact Joseph R. Boyles	Phone # (<u>585</u>) <u>466 - 7271</u>
Contact e-mail address joe.boyles@casella.com	Fax # (585) 466 - 3206
Town Angelica County Allegany	NYSDEC Region # 9
360 Permit # <u>9-0232-00003/0000-2</u> Issued <u>10/10/20</u>	007 Expires 05/01/2015
Owner Name Hyland Facility Associates	Phone # (<u>585</u>) 466 - 7271
Mailing Address <u>6653 Herdman Road, Angelica</u>	State <u>NY</u> Zip <u>14709</u>
SECTION 2 - Site Life	<u>fe</u>
NOTE: See Attachment No. 8 for I	more details
Landfill Capacity Utilized Last Year (reporting year).	
a. What is the estimated landfill capacity that was utilized dur	ring the reporting year?
427,983	Cubic Yards of Airspace
What is the estimated in-site waste density for the reporting	a veer?
0.74 (excludes BUD)	
2. Remaining Constructed Capacity	
 What is the remaining capacity of the landfill that is already 	
553,292 (includes 3b)	Cubic Yards of Airspace
b. What is the estimated remaining life of the constructed cap	pacity?.
Years <u>13</u> Months	
atTons/Year.*	
*Please note that this tonnage rate must include all materia	als placed in the landfill, i.e., waste, soil, cover
alternative daily covers, etc.	
c. Is the tonnage rate reported under 2.b. based on:	
Yes Last year's disposal amount? (Yes or No)	
Yes Estimated future disposal? (Yes or No)	
Yes Permit limit? (Yes or No)	

Page 2 of 25

(REPRINTED 12/08)

3.	Pern	nitted Capacity Still to be Constructed
	a.	What is the remaining but not yet constructed landfill capacity that is authorized by
		a Part 360 permit?
		9,863,420 Cubic Yards of Airspace
	b.	What is the projected life of capacity reported in 3a.?
		16.3 Years Months
		at <u>1,200</u> Tons/Year.*
		Please note that this tonnage rate must include all materials disposed in the
		landfill, i.e., waste, and soil and alternative daily covers.
	C.	Is the tonnage rate reported under 3.b. based on:
		Yes Last year's disposal amount? (Yes or No)
		Yes Estimated future disposal? (Yes or No)
		Yes Permit limit? (Yes or No)
		Other (explain):
4.	Capa	acity Proposed in a Part 360 Permit Application
	beer	t is the capacity of any expansion proposed in a Part 360 permit application that has submitted to the Department but not authorized by a permit as of the end of the rting period?
		n/a Cubic Yards of Airspace
	Catim	noted Detectiol Future Consoity Not Descritted on in an Application (antiquel)
5.	Esur	nated Potential Future Capacity Not Permitted or in an Application (optional)
	yet a	t is the estimated capacity of any potential future expansion at the facility that is not authorized by a permit or proposed in a Part 360 permit application that has been nitted to the Department?
_		n/a Cubic Yards of Airspace
k.		
		SECTION 3 - Primary Leachate
Name	e of off-	site leachate treatment facility(s) utilized: Wellsville WWTP/ Hornell WWTP
Does	the lan	dfill have a constructed liner and a leachate collection system?XYesNo
treatr doubl	nent, ai e-lined	antity of primary leachate that was collected, removed for on-site and off-site and recirculated each month, and the corresponding Acreage, by Cell: (Note: For landfills this should not include the volume of leachate collected from secondary ection and removal systems.

2
7
Z di
á

		1	
		ì	
		(
		١	١
		í	
		i	
		ì	
		ļ	
		:	
		ĺ	
		i	
		i	
		ì	
		٤	

		PRIMARY LEACHATE COLLECTED (GALLONS)	ACHATE CO)LLECTED (PRI	PRIMARY LEACHATE TREATED OFF SITE (GALLONS)	HATE TREA	TED OFF SIT	F (GALLON	(6)
	HYLAND DE	HYLAND DETERMINES LEACHATE QUANTITIES BY SURFACE IMPOUNDMENTS	EACHATE Q RFACE IMP(S LEACHATE QUANTITIES B SURFACE IMPOUNDMENTS		THE LEVEL OF THE					•	
	Cells	Cells Combined 1,2,3	5,3	Cell 4	Cell 5	Cell 6	Cells 1, 2 and 3.	d 3. Leachate	Leachate from cells	Cell 4	Cell 5	Cell 6
			,	Acres	Acres	Acres	transferred to	transferred to Tank/Bay for Disposal	r Disposal.	Acres	Acres	Acres
January	,	469,425		N/A	N/A	N/A		457,211		N/A	N/A	N/A
February		354,034		N/A	N/A	N/A		242,804		N/A	N/A	N/A
March		1,284,247		N/A	N/A	N/A		686,934		N/A	N/A	N/A
April		634,989		N/A	N/A	N/A		914,964		N/A	N/A	N/A
May		440,990		N/A	N/A	N/A		410,743		N/A	N/A	N/A
June		479,788		N/A	N/A	N/A	-	290,893		N/A	N/A	N/A
July		502,540		N/A	N/A	N/A		593,662		N/A	.V/N	N/A
August		572,973	•	N/A	N/A	N/A		877,145		N/A	N/A	. V/N
September		006'299		N/A	N/A	N/A		583,447		N/A	N/A	N/A
October		410,191		N/A	N/A	N/A		458,942		N/A	N/A	N/A
November		534,715		N/A	N/A	N/A	,	459,333		N/A	N/A	N/A
December		512,667		N/A	N/A	N/A		475,325		N/A	N/A	N/A
ANNUAL		6,864,459		N/A	N/A	N/A		6,451,403		N/A	N/A	N/A
		PRIMARY LEACHAIE RECIRCULAIED (G	CHAIE KE	CIRCULALE	D (GALLONS	$\overline{}$	ב	PRIMARY LEACHAIE IREAIED ON SIIE (GALLONS	CHAIL IRE	ALED ON SI	IE (GALLON	S)
	Cell 1	Cell 2 Acres	Cell 3 Acres	Cell 4 Acres	Cell 5 Acres	Cell 6 Acres	Cell 1 Acres	Cell 2 Acres	Cell 3 Acres	Cell 4	Cell 5 Acres	Cell 6 Acres
January				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
February				N/A	N/A	N/A	N/A	N/A	N/A	A/A	N/A	N/A
March				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
April				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
May				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
June				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
July				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
August				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
September				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
October				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
November	40,000			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
December	106,000			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ANNUAL	146,000			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Submit (attached to this form) a copy of the maintenance logs which document compliance with the Operation and Maintenance Manual's schedule for the routine annual flushing and inspection of the primary leachate collection and removal system. List required submissions that have been attached to this form or the reason for not attaching a required piece of information: See attachment #9
Submit (attached to this form) a tabulated compilation of the semi-annual primary leachate quality data collected throughout the year including a summary comparing this year's data with the previous year's data and a summary discussion of results. This list should identify sample location(s) and method of analysis. List required submissions that have been attached to this form or the reason for not attaching a required piece of information: See Attachment #3
•
SECTION 4 - Secondary Leachate
Does landfill have a double liner system with a secondary leachate collection and removal system? X YesNo
Submit (attached to this form) a tabulated compilation of the semi-annual secondary leachate quality data collected throughout the year including a summary comparing this year's data with all previous years' data and a summary discussion of results. This list should identify sample location(s) and methods of analysis. List required submissions that have been attached to this form or the reason for not attaching a required piece of information:
See Attachment #3
· · · · · · · · · · · · · · · · · · ·
Leachate Cost: (including transportation if appropriate) during the calendar year for leachate treatment: \$ 393,638.22
Total quantity treated: 6,560,637 gal
Enter the quantity of secondary leachate that was collected, removed for on-site and off-site treatment, and recirculated each month, and the corresponding Acreage, by Cell:

	0,	SECONDA	RY LEAC	SECONDARY LEACHATE COLLECTED		(GALLONS)		SEC	ONDARY	LEACHAT	E TREATE	D OFF SI	SECONDARY LEACHATE TREATED OFF SITE (GALLONS)	NS)
	Cell 1 A/B 9.6	Cell 1 C/D 7.9	Cell 2 E/F 7.0	Cell 2 G/H 4.3	Cell 3A	Bay 1	Bay 2	Cell 1 A/B 96	Cell 1 C/D 7.9	Cell 2 E/F 7.0	Cell 2 G/H 4 3	Cell 3A 7 7	Bay 1	Bay 2
	Acres	Acres	Acres	Acres	Acres		,	Acres	Acres	Acres	Acres	Acres		
January	1411	1713	292	474	N/A	N/A	N/A	1411	1713	292	474	N/A	N/A	N/A
February	029	1097	12	1041	0	0	0	670	1097	12	1041	0	0	0
March	467	1015	0	1080	7	61	. 0	467	1015	0	1080	7	61	0
April	316	329	0	171	1409	31	40	316	328	0	171	1409	31	40
May	894	714_	230	322	1240	31	8	894	714	530	322	1240	31	8
June	759	776	0	342	1938	37	32	759	9//	0	342	1938	37	32
July	546	523	101	262	1582	29	58	546	523	101	262	1582	29	29
August	564	451	574	409	70814	52	17	564	451	574	409	70814	. 25	17
September	413	437	199	545	4710	0	0	413	437	199	545	4710	0	0
October	443	333	123	829	1257	35	0	443	333	123	829	1257	35	0
November	461	340	02	692	914	0	0	461	340	02	69/	914	0	0
December	257	448	573	411	425	0	0	257	448	573	411	425	0	0
ANNOAL	7,201	8,206	2,474	6,655	84,296	276	126	7,201	8,206	2,474	6,655	84,296	276	126
		SECON	DARY Le	SECONDARY Leachate Recirculated		(Gallons)			SECOND	ARY Leac	hate Treate	ed ON Sit	SECONDARY Leachate Treated ON Site (Gallons)	
	Cell 1	Cell 1	Cell 2	Cell 2	Cell 3A	Bay 1	Bay 2	Cell 1	Cell 1	Cell 2	Cell 2	Cell	Bay 1	Bay 2
	A/B 9.6	C/D 7.9	E/F 7.0	G/H 4.3	7.7			A/B 9.6	C/D 7.9	E/F 7.0	G/H 4.3	3A 7.7		
January	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	A/N	₹ Z
February	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ΑΝ
March	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	A/N	ΑN
April	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
May	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
June	A/A	N/A	N/A	A/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
July	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
August	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
September	ΑN	N/A	N/A	A/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
October	Y/N	A/A	N/A	A/N	A/N	A/A	A/A	V/V	A/N	N/A	A/A	N/A	N/A	N/A
November	A/A	N/A	N/A	A/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
December	ΑX	N/A	N/A	Ϋ́Z	N/A	N/A	A/N	ΑΝ	N/A	Α/N	Α/N	Α/N	A/A	A/A
ANNOAL	A/A	A/A	N/A	N/A	N/A	N/A	N/A	A/A	A/A	N/A	N/A	N/A	A/A	N/A

SECTION 5 - Alternative Daily Cover

For each type of waste material that the Department has approved for use as alternate daily cover, intermediate cover, or other !! material, provide the annual weight in tons and use (i.e., daily cover, intermediate cover, etc.)

T (O-II-I-WI-	Weight		Source* Facility and Location
Type of Solid Waste	(tons/year)	Use	
Aggregate/Concrete/Glass			
Wood/Wood Chips		·	
MSW/Wood Ash	41.91	Daily Cover	**
Processed C&D	24,454.22	Daily Cover	**
Foundry Sand			
Industrial Waste	1,159.20	Road BUD	**
(Specify: <u>Ceramic Tile</u>)			
Paper Mill Sludge			
Contaminated Soil	4,376.29	Daily Cover	**
Shredder Fluff	4,760.98	Daily Cover	**
Other (Specify: <u>Tire Chips</u>	8,175.96	Daily Cover	**
T	42,968.56		

^{*} Provide for name, if ADC from facility. Provide County and state, if not from facility.

Percent Alternative Daily Cover (ADC)Calculation

ADC Calculations:	Total Tons ADC/Total Tons Waste Disposed x 100 =
Please note the calculate	tion <u>is</u> :
Tons ADC (from table a	bove)/Tons Solid Waste (from table in Section 6)x 100
and <u>Not</u> :	•
Tons ADC / (Tons Solid	Waste + ADC) x 100

Percent ADC 2008: 42,968.56 ADC Tons/ 281,195 Waste Tons x 100 = 15.3%

^{**} Customer information is considered proprietary to our business - this information is available for DEC review at the facility.

Page 8 of 25

(REPRINTED 12/08)

SECTION 6 - Quantity of Solid Waste Disposed

Provide the tonnages of solid waste disposed. Exclude Alternative Daily Cover amounts reported in Section 5 and Materials Recovered amounts reported in Section 10.

Specify the methods used to measure the quantities disposed and the percentages measured by each method:

% Estimated % Other (Specify: _% Scale Weight % Truck Count 100

Type of Solid Waste	January (tons)	February (tons)	March (tons)	April (tons)	May (tons)	June (tons)	July (tons)
Mixed Municipal Solid Waste (Residential, Institutional & Commercial)	11,262.01	11,761.96	15,489.15	19,722.23	22,468.42	23,180.88	21,993.03
Construction & Demolition (C&D Debris)	2,615.54	2,333.87	3,278.55	4,678.62	4,418.55	3,882.57	4,916.56
Asbestos Waste	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Industrial Waste (Including Industrial Process Sludges)	332.47	323.79	308.74	330.69	327.11	5,610.71	2,801.71
Ash (Coal)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Ash (MSW Energy Recovery)	00.00	0.00	0.00	0.00	0.00	0.00	0.00
Sewage Treatment Plant Sludge	460.22	278.73	1,088.38	2,020.31	2,940.77	3,808.90	3,095.84
Petroleum Contaminated Soil	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Treated Regulated Medical Waste	0.00	00.00	0.00	0.00	0.00	0.00	0.00
Other (Specify: <u>BUD</u> Materials: Bud ADC & Road Base)	4,282.80	2,811.39	3,173.88	4,705.30	4,512.55	4,738.88	2,511.04
Total Tons Disposed	18,953.04	17,509.74	23,338.70	31,457.15	34,667.40	41,221.94	35,318.18

(REPRINTED 12/08)

Type of Solid Waste	Tip Fee (\$)	August (tons)	September (tons)	October (tons)	November (tons)	December (tons)	Total Year (tons)	Daily Avg. (tons)
Mixed Municipal Solid Waste (Residential, Institutional & Commercial)		17,407.60	15,168.32	12,874.95	14,407.55	. 12,937.62	198,673.72	632.72
Construction & Demolition (C&D Debris)		4,118.89	4,009.79	4,491.66	3,005.44	1,557.70	43,307.74	137.92
Asbestos Waste		0.00	0.00	0.00	0.00	0.00	0.00	0.00
Industrial Waste (Including Industrial Process Sludges)		373.58	392.44	3,632.26	432.64	410.19	15,276.33	48.65
Ash (Coal)		0.00	0.00	0.00	0.00	0.00	0.00	00.0
Ash (MSW Energy Recovery)		0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sewage Treatment Plant Sludge		2,236.10	1,739.56	1,890.53	2,156.10	2,221.32	23,936.76	76.23
Petroleum Contaminated Soil		0.00	00.00	0.00	0.00	0.00	0.00	0.00
Treated Regulated Medical Waste		0.00	0.00	0.00	00.0	0.00	00.0	0.00
Other (Specify: <u>BUD</u> Materials: Bud ADC & Road Base)		5,081.44	2,818.68	6,570.89	1,015.71	746.00	42,968.56	136.84
Total Tons Disposed		29,217.61	24,128.79	29,460.29	21,017.44	17,872.83	324.163.11	1,032.37

Facility's Service Area

Identify the facility's service area by indicating the type of solid waste received, the Solid Waste Management facility (SWMF) from which it was received (or Direct Haul' means waste hauled directly to your Solid Waste Management Facility (SWMF) which did not go through another SWMF. Only County/Province and State/County are required for direct haul.

Specify transport method and percentages of total waste transported by each:

		rt methods
		ed in these transpo
% Rail	% Other (specify:	ypes and service areas below are included in these transport methods
100 % Road	% Water	Explain which waste to
-		ЕХ

		,	Facility's Service Area	
Type of Solid Waste	County or Province	State or Country	Solid Waste Management Facility	Total Year (tons)
	·		Customer information is considered proprietary to our business - this information is available for DEC review at the facility.	
Mixed Minicipal Solid Waste				•
(Residential, Institutional &		-		
Commercial)				
Construction & Demolition				
(C&D) Debris				
•				
Asbestos Waste				•

			Facility's Service Area	
Type of Solid Waste	County or Province	State or Country	Solid Waste Management Facility	Total Year (tons)
:				
Industrial Waste (Including Industrial Process Studges)				
Asn (Coal)				
Ash (MSW Energy Recovery)	•			
Sewage Treatment Plant				
Sludge				
Petroleum Contaminated Soil				
Treated Regulated Medical				
Wasie				

Page 11 of 25

25
ō
12
<u>o</u>
ag

			Facility's Service Area	
Type of Solid Waste	County or Province	State or Country	Solid Waste Management Facility	Total Year (tons)
Other (Specify:				
		-		
Total Tons Received				

^{*} List generators that provide you Certificates of Treatment forms and quantities from each_

SECTION 7 - Unauthorized Solid Waste

<u>گ</u>				
Yes XX No				
Yes				
Has unauthorized solid waste been received at the Landfill during the reporting period?	If yes, give information below for each incident (attach additional sheets if necessary):	Disposal Method & Location		-
ed at the Landfill duri	dent (attach additions	Date Disposed		
id waste been receiv	n below for each inci	Type Received		
Has unauthorized sol	If yes, give informatio	Date Received		

Radiation Monitoring

Does your facility use a fixed radiation monitor?	tion monitor?	Yes XX No	No_	
Identify Manufacturer	and Model		of fixed unit.	
Does your facility use a portable radiation monitor?	diation monitor?	Yes	o 	
Identify Manufacturer	and Model		of fixed unit.	
If the radiation monitors been triggered give information below for each incident:	ered give informatic	on below for e	each incident:	

	Received	ived						Removed	oved
Incident Number	Date	Date Time	Hauler	Origin	Truck Number	Reading	Disposal Status	Date	Time
					-				

SECTION 8 - Waste in Place

Summary by Waste Type and Year

Include all active and inactive sections of the landfill. Report waste disposed annually by type, if known, in tons per year. Report total waste disposed, if breakdown of types the quantities for a range of years. If you include amounts from old, closed landfills then clearly identify them on the table and explain below. In each row, report quantities disposed each year (or group of years if individual years unknown) for each waste type. Report cumulative WIP at bottom (sum of annual quantities disposed). Add is not available. In the case where more than one landfill section operated in a given year identify each separately, if known. If the annual amount is not available, report additional sheets as necessary.

Year	MSW (tons)	C&D Debris (tons)	Asbestos Waste (tons)	Industrial Waste (tons)	Ash (tons)	Sewage Treatment Plant Sludge (tons)	Petroleum Contaminated Soil (tons)	MSW/ C&D Mixed (tons)	Year(s) Total (tons)	Identify Landfill Section(s) Used
1998	31,099	3,251	0	2,707	0	0	0	.8,711	45,768	Cell 1
1999	41,288	15,539	865	13,847	0	72	0	73,053	144,664	Cell 1
2000	78,821	32,722	6,406	11,315	1,966	635	1,115	47,465	108,445	Cell 1
2001	18,805	6,422	655	1,956	0	1,781	242	199,923	229,784	Cell 1
2002	18,437	6,004	0	7,560	0	2,037	89	190,833	224,960	Cell 1
2003	4,951	2,316	. 0	26,299	0	1,741	0	197,010	232,317	Cell 1 & 2
2004*	170,313	17,178	0	16,402	0	21,939	0	1	225,836	Cell 1 & 2
2005	201,150	9,218	0	13,069	0	7,421	. 0	ŧ	230,858	Cell 1 & 2
2006	212,848	942	0	4,603	0	12,680	0		213,073	Cell 1 & 2
2007	230,729	23,240	0	4,449	0	32,216	0	-	290,634	Cell 1 & 2
2008	198,674	43,308	0	15,276	0	23,937	0	-	281,195	Cell 1, 2 & 3
WIP Cumulative Total	1,027,115	160,140	7,926	117,483	1,966	104,459	1446	716,995	2,227,534	

^{*} MSW and MSW/CD Commingled not reported separately after 2003.

Explain if closed landfills are included above

Number of landfill sections: All of the Cells and Subcells are contiguous- There are three Cells

Original* section used (years) from 1998 to Current (This is Cells 1&2)

Capped with approved final cover system Yes Interim Cover No

Percent capped ~70% w/Interim Final Cover

Tons (using .62 tons/yd3 as the density factor) Waste in Place: 2,067,917

(this is Cell 3a & 3b)) Next* section used (years) from 2007 to Present

Capped with approved final cover system Yes Interim Cover No.

Percent capped 40 % w/Interim Final Cover

Waste in Place: <u>258,688</u> Tons (using .62 tons/yd³ as the density factor)

* If there are additional landfill sections, phases or cells, please provide the same waste in place information on additional sheets and attach to form.

SECTION 9 - Landfill Gas

Does the landfill have a landfill gas collection & control system? Yes _ X_ No If Yes: Active _ X_ Passive
Number of gas wells: 17 vertical/11 horizontal
Total landfill footprint acreage 36.5 acres
Total landfill acreage from which gas is collected 28.8 acres
Landfill acreage from which gas is collected for energy recovery 28.8 acres
Measured Methane Generation Rate*, k <u>Default Value</u>
Measured Potential Methane Generation Capacity*, Lo Default Value m³/Mg
NMOC Concentration* 266 ppmv as hexane (Tier 2 Testing – July 2008)
Does the landfill require a Title V Permit? Yes X No (Draft Permit Issued in 2008, not finalized in 2008) Name of Landfill Gas Recovery (gas to energy or other use) Facility: Hyland LFGTE Facility
* Note: If Concentration NMOC, Lo and k are not known or included, default values will be used to calculate the NMOCs emissions from the Landfill.
<u>Flare</u>
Number of Flares:1
Type of Flare: Opened Flare X Enclosed Flare
Quantity of Gas Collected and Flared Annually 618.425 mmcf** (Assuming average 1800 cfm until engine startup August 29, 2008)
Flare Hours of Operation per Year <u>5726</u> hours/year (Assuming 99% operation until engine startup)
Gas ⊤o Energy
Number of Internal Combustion Engines: 3
Quantity of Gas collected for Internal Combustion Engine Annually 249.685 mmcf**
Number of turbine driven generators:
Quantity of Gas Collected for Turbine Annually mmcf**
Methane Percentage in Landfill Gas before processing 47 %
Utility Company Receiving Electricity NYSEG

Gas Processed for Use (Other than gas to electricity)

Quantity of Gas Collected for Processing
On-site or Off-site User of Gas
**mmcf (million cubic feet) Landfill Gas Recovery Facility/Landfill Data
Facility Contact Peter Zeliff, Jr. Phone # (585) 590-0278
Contact e-mail address <u>ir@ieslfge.com</u> Fax # (585) 948-8584
Operation and maintenance cost for calendar year: \$\frac{111,815}{}
Does the LGRF experience shut downs:XYesNo
If yes, indicate reasons for shut downs. List required submissions that have been attached to this form or the reasons for not attaching a required piece of information:
Utility trips, maintenance and repairs lead to periodic shutdowns at the facility.
Year landfill opened: 1998 Anticipated landfill closure date: 2025
Results of Condensate Sampling
Submit (attached to this form) condensate quality monitoring results accomplished in accordance with condensate sampling. List submissions (required by this section) that have been attached to this form or the reasons for not attaching a required piece of information:
Please Refer to Attachment # 5 (for discussion) and attachment 6.1 for data

Landfill Gas Utilized For Energy Recovery

Provide the following information for the landfill gas conversion facility. DO NOT INCLUDE FLARED!

	Landfill Gas Collected for Energy Recovery (Cu. Ft.)	Steam* Generated (Cu. Ft.)	Electricity* Generated (K.W.H.)	Gas Produced for use other than electricity generation (Cu. Ft.)	Condensate Generated (Gallons)	Facility Operation (Hours)
January	0		0			0
February	0		. 0			0
March	0		. 0			0
April	0		. 0			0
May	0		0			0
June	0		0			0
July	0		0			0
August	6,186,000		299,977			94
September	55,092,056		2,671,130			661
October	60,541,181		2,935,330			730
November	61,312,970		2,972,750			714
December	66,552,338		3,226,780			737
ANNUAL TOTAL	249,684,545		12,105,967			2,939

^{*} Provide where applicable.

Normal Weekdays of Operation 7 days	Normal Hours of Operation 24 hours	
Describe the collection, storage, treatment	t and disposal techniques used in managing the condensa	ate:

SECTION 10 - Material Recovered

For each type of solid waste recovered for recycling or composting, fill in the weight (tons) or volume (cubic yards), AND indicate the main destination facility where it was sent. Please write the NAME of the destination facility.

Note: Your facility may not be authorized to take all of the solid waste types on this form. If your facility is a registered Recyclables Handling & Recovery Facility please complete "Recyclables Handling & Recovery Facility Report Form" instead of completing this page.

XX NO RECYCLING AT THIS FACILITY. If your facility recovered zero materials for recycling or composting during report period, check the box.

IF THERE WERE RECYCLED MATERIALS AT YOUR FACILITY, COMPLETE THIS CHART

Tons or cubic yards were obtained by:

Scale Weight	Truck Count	
Estimated	Other (Specify:)	
Type of Solid Waste Recovered for Recycling	Weight or Volume (Indicate tons/year or cubic yards/year)	Name of Destination Facility and Location
Paper		
Glass		
Plastic		
Metal Containers		
Bulk Metal		
Aluminum		
Asphalt		
Aggregate & Concrete		
Wood & Wood Chips		
Electronics		
Yard Waste		
Other (Specify:)		
Total Recovered		If you have BOTH tons and cubic yards of materials, skip the "Total Recovered" box.

For "Other" categories, please specify the material. Add additional sheets, if necessary.

SECTION 11 - Cost Estimates and Financial Assurance Documents

Submit (attached to this form) any required cost estimates and financial assurance documents for closure, post-closure care, and applicable corrective measures, all reflecting adjustments for inflation and any changes to the Closure, Post Closure or Closure Maintenance Plans to indicate updated dollars for the year of operation for which the Annual Report is made. List submissions (required by this section) that have been attached to this form or the reasons for not attaching a required piece of information: See Attachment # 11
<u>SECTION 12 - Problems</u>
Identify any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures) and methods for resolution of the problems. List submissions (required by this section) that have been attached to this form or the reasons for not attaching a required piece of information:
SECTION 13 - Changes
Identify any changes from approved reports, plans, specifications, permit conditions and fill progression plan with a justification for each change. List submissions (required by this section) that have been attached to this form or the reasons for not attaching a required piece of information: No changes
SECTION 14 - Analytical Results
Submit (attached to this form) tables showing the sample collection date, the analytical results [including all peaks even if below the Method Detection Limits (MDL)], designation of upgradient wells and location number for each environmental monitoring point sampled, applicable water quality standards, and groundwater protection standards if established, MDL's, and Chemical Abstracts Service (CAS) numbers on all parameters. List submissions (required by this section) that have been attached to this form or the reasons for not attaching a required piece of information: Please Refer to Attachment # 5 (for discussion) and attachment 6.1 for data

SECTION 15 - Comparing Data

Submit (attached to this form) tables or graphical representations of existing water quality and with upgradient water quality. These con Stiff diagrams, tables, or other analyses. List submissions (required attached to this form or the reasons for not attaching a required pie	nparisons may include Piper diagrams, d by this section) that have been ce of information:
Please Refer to Attachment # 5 (for discussion) and attach	ment 6.1 for data
SECTION 16 - Discussion of I	Results
Submit (attached to this form) a summary of any contraventions of significant increases in concentrations above existing water quality, protection standards, and discussion of results, and any proposed ranalysis schedule necessary to meet the Existing, Operational and requirements. List submissions (required by this section) that have reasons for not attaching a required piece of information:	any exceedances of groundwater modifications to the sampling and Contingency water quality monitoring been attached to this form or the
Please Refer to Attachment # 5 (for discussion) and att	achment 6. 1 for data
	· · · · · · · · · · · · · · · · · · ·
SECTION 17 - Summaries of Moni	toring Data
Submit (attached to this form) a summary of the water quality inform 14 for the year of operation for which the Annual Report is made, no which have occurred throughout the year. List submissions (require attached to this form or the reasons for not attaching a required piece Please Refer to Attachment # 5 (for discussion) as	oting any changes in water quality ed by this section) that have been be of information:
SECTION 18 - Data Quality Ass	<u>essment</u>
Submit (attached to this form) any required data quality assessmen by this section) that have been attached to this form or the reasons information:	
Please Refer to Attachment # 5 (for discussion)	and attachment 6.1 for data
	•
(REPRINTED 12/08)	Page 21 of 25

SECTION 19 - Surface Impoundments

_XX__Yes ____No

Does this landfill have a surface impoundment?

If yes, there are separate water quality reporting requirements for surface impoundments. Namely, for each surface impoundment, repeat Sections 12 through 15 above for Quarterly Reports and Section 11 above for Annual Reports. List submissions (required by this section) that have been attached to this form or the reasons for not attaching a required piece of information:
SECTION 20 - Permit/Consent Order Reporting Requirements
Are there any additional permit/consent order reporting requirements not covered by the previous sections of this form?YesNo
If yes, identify the reporting requirements with their respective responses below, attaching additional sheets as necessary. List submissions (required by this section) that have been attached to this form or the reasons for not attaching a required piece of information:
Additional permit requirements for the 4 th Quarter of 2008, as specified in Special Conditions #84 & #85:
#84.a. Amounts of waste received from each New York State county on a county by county basis, from the United States on a state by state basis and from outside the country on a nation by nation basis.
Hyland: See Attachment #1
#84.b. Report on the receipt of unauthorized wastes received during the quarter.
See Attachment #10
#84.c. The amount of leachate collected and hauled off-site on a daily basis and the disposal location. The daily logs of leachate level in the leachate storage tank shall be provided as well.
Hyland: See Attachment #2
#84.d. The amounts of liquid collected from the secondary collection system on a daily basis.
Hyland: See Attachment #2
#84.e. The monthly Action Leakage Rate for the secondary collection system of each cell or subcell of the landfill.
Hyland: See Attachment #2
#84.f. The date when liquid is detected in any leak location, including the liquid removed from each location. This includes all leak detection locations including but not limited to those identified on the most recent approved weekly leachate inspection log.
Hyland: See Attachment #7
#84.g. The amount of ADC received during the quarter with a breakdown of how much was used, as well as the volume that is stockpiled on site.
Hyland: See Section 5. There was no appreciable amount of ADC stockpiled at the end of the quarter. (REPRINTED 12/08) Page 22 of 25

#84.h. Results from the monitoring of the gas monitoring wells around the perimeter of the landfill.

Hyland: See Attachment #5 (in the text there is a chart)

#84.i. The analytical results for any condensate samples collected during the quarter being reported,

Hyland: Please see Attachments 5 & 6

#84.j. The amount of condensate collected, the disposal location and the number of gas extraction wells/laterals in operation.

Hyland: Hyland collects condensate into the leachate collection system; the condensate is not metered (in compliance with NYSDEC approved design plans). All condensate is mixed with primary leachate and treated offsite at either the Wellsville or the Hornell WWTP (although other treatment location options are available). Eleven Vertical wells and fourteen horizontal wells are in operation. See Section 9 for Well and Lateral information

#84.k. The amount of groundwater removed from each groundwater suppression system on a weekly basis. After Cell 5 is constructed, a flow rate shall be determined once per week. Weekly measurements shall occur during the operational life of the landfill and not during post-closure.

Hyland: Hyland does not currently monitor the flow total from the groundwater suppression system (in compliance with NYSDEC approved design plans).

#84.I. The number of trucks delivering waste and ADC material to the site each day.

Hyland: See Attachment #1

#84.m. The amount of BUD material (drainage/ADC/road) delivered to the site each day, amount of material used and amount stored.

Hyland: See Attachment #4. There was no appreciable amount of BUD materials stockpiled at the end of the quarter. There is minimal BUD stockpiled – most ADC is used immediately

#85a. Amounts of waste . . . received from each New York State county on a county by county basis, from the United States on a state by state basis and from outside the country on a nation by nation basis.

Hyland: See Attachment #1

#85.b. Copies of current and up-to-date contracts with a minimum of 2 wastewater treatment facilities for the disposal of leachate for the up-coming year. In addition, copies of current and up-to-date contracts with the back-up hauler for the upcoming year shall be provided.

Hyland: Annual Requirement - See Attachments 12 & 13

#85.c. Any changes to the Fill Progression Plan or modifications to the landfill.

Hyland: No Changes

#85.d. An updated cost estimate for closure/post-closure activities to reflect inflation and/or any changes that may impact closure or post-closure

Hyland: Annual Requirement - See Attachment 11 for Updated Closure & post-Closure Estimates

#85.e. An updated topographic map (based on Fall conditions) of the site. Included with the topographic map shall be a discussion on the amount of waste received, the remaining volume/life of the site and a soil balance for the site. The soil balance shall include: the amount of soil required for cover, closure and other activities; the amount of soil remaining in the permitted borrow area; and the amount of soil that needs to be imported.

Hyland: Annual Requirement - See Attachment 8 and Attachment 15

- #85.f. Unusual events or accidents at the landfill and response by landfill personnel.
- Hyland: Annual Requirement Nothing of significance or has not been previously reported to NYSDEC
- #85.g. Any changes in water quality which have occurred throughout the report year and a summary of the water quality information.
- Hyland: Annual Requirement See Attachments 5&6
- #85.h. Any approved changes from the approved plans, reports and specifications or permit, along with a justification for the change.
- Hyland: Annual Requirement There have been no changes or deviations from approved plans or permits
- #85.i. Summary Report for the active gas system including the amount of gas burned and condensate collected.
- Hyland: Annual Requirement Please see Section 9
- #85.j. A detailed plan covering the next three years of operation and construction activities. The plan shall indicate which areas will be constructed, operated and/or closed.

Hyland:

Note: All Forcasts are dependent upon volume of waste received

- 2009 Hyland plans to construct Cell 3c and operate in Cell 3 (overlayed upon Cell 2)
- 2010 Hyland plans to construct Cell 4a and operate in Cells 3 & 4 (assuming construction approval). Should settlement complete, Hyland plans to cap the north slope of Cell 1 (Cap 1)
- 2010 No construction scheduled. Hyland plans to operate in Cells 3 & 4,

#85.k. Completed Landfill Gas Recovery Facility Annual Report

Annual Requirement - See Attachment 14

SECTION 21 - Signature and Date By Owner or Operator

Owner or Operator must sign, date and submit one completed form with an original signature to the appropriate Regional Office (See attachment for Regional Office addresses and Solid Waste Contacts.)

The Owner or Operator must also submit one copy by fax or mail to:

New York State Department of Environmental Conservation Division of Solid & Hazardous Materials Bureau of Solid Waste, Reduction & Recycling 625 Broadway, 9th Floor Albany, New York 12233-7253 Fax 518-402-9041

I hereby affirm under penalty of perjury that information provided on this form and attached statements and exhibits was prepared by me or under my supervision and direction and is true to the best of my knowledge and belief, and that I have the authority to sign this report form pursuant to 6 NYCRR Part 360. I am aware that any false statement made herein is punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

Signature	Date
Joseph R. Boyles Name (Print or Type)	General Manager Title (Print or Type)
6653 Herdman Road Address	Angelica City
NYState and Zip	(585) 466 - 7271 Phone Number

ATTACHMENTS: <u>xx</u> YES ___ NO (Please check appropriate line)

(REPRINTED 12/08)